Cooktop Collections



IND-9X

- Sufficient space to cook
- 8mm thick toughened glass with double colour
- Glass size 770 x 380x 8mm
- Anti skid Rubber legs
- Stainless steel dip tray for easy cleaning
- 360" rotation inlet nozzle
- No of burners 3

MRP: 8,990/-

- Manual ignition with brass valve
- Pressure: 0.5 PSI
- Fancy metal knobs
- European style valve
- Strong ms powder coated pan support



ND-9

- Sufficient space to cook
- Glass size 690 x 360x 6mm
- Anti skid Rubber leas
- No of burners 3
- Pressure: 0.5 PSI

- 6mm thick toughened glass
- Stainless steel dip tray for easy cleaning
- 360" rotation inlet nozzle
- Manual ignition with brass valve

MRP: 5,490/-



Leads Overseas Pvt. Ltd.

Toll Free 1800 212 1200


Phead Office & Warehouse

Badu Road, PO- Abdalpur, Near Talli Khola 16 feet, Madhyamgram, Kolkata- 700155, India

Website: www.leadsindia.net

Email: leads india.net@gmail.com / info@leads india.net

Marketed by:



Chimney Collections



ELITE

- Air Flow: 1920 m3/h
- Generation: 4th generation dry clean technology & motion sensor
- Motor Power: 268 w
- Speed: 4 speed touch with motion sensor technology
- Lamp: 2.5w x 2
 - Noise Level: 48dB
- MRP: 43.990/-• Cabinet Hood: Glass Finish
- •Body Dimension: (LxWxH) 900x350x800 mm
- **Technology:** Suction on display with room temperature. Teflon coated long baffle filter with non-breakable aluminium long oil container.



BOAT

- Air Flow: 1800 m3/h
- Generation: 4th generation dry clean technology & motion sensor.
- Motor Power: 190 w
- Speed: 3 speed touch with thumb sensor technology
- Lamp: 3W X 1
- Noise Level: 48dB
- Cabinet Hood: SS Black mat finish
- •Body Dimension: (LXWXH)) 900x390x855 mm MRP: 39,990/-
- Technology: Attractive switch panel with double black
- SS indent filter & non breakable aluminium oil container.



ROBOTIC

- Air Flow: 1800 m3/h
- Generation: 5th generation dry clean, motion sensor & ISA Technology.
- Motor Power: 190 w
- Speed: 3 speed touch with motion sensor technology
- Lamp: 2.5w x 1 • Noise Level: 48dB
- Cabinet Hood: SS Black mat finish
- •Body Dimension: (LxWxH) 900x420x520 mm MRP: 41,990/-
- ISA & Filter less Technology: Our ISA Technology system automatically turn on the Auto Clean mode after 30 hours of chimney operation. Our modern chimney incorporates the two layer filter less Technology for Hassle free cleaning process.



- Air Flow: 1650 m3/h
- Generation: 5th generation dry clean technology & motion sensor.
- Motor Power: 180 w

G

- Speed: 9 speed touch with motion sensor technology
- Lamp: 3W X 1 • Noise Level: 37dB
- Cabinet Hood: SS Black mat finish
- •Body Dimension: (LXWXH) 900x430x450 mm
- ISA & Filterless technology: Our ISA Technology system automatically turn on the Auto Clean mode after 30 hours of chimney operation. BLDC motor technology offers high efficiency & longer lifetime with 80% energy efficient. Filter less technology for hassle free cleaning process.





- Air Flow: 1550 m3/h
- Generation: 5th generation with dry clean, motion sensor & ISA Technology
- Motor Power: 190 w Speed: 3 speed touch with motion sensor technology
- Lamp: 1.5W X 2 • Noise Level: 48dB
- Cabinet Hood: SS mat finish black
- Body Dimension: (LXWXH) 900X485X500 mm
- ISA Technology: Our ISA Technology system automatically turn on the Auto Clean mode after 30 hours of chimney operation. Our modern chimney incorporates 11 degree 2 layers baffle filter technology, say no to tedious scrubbing & cleaning of filters frequently.



- Air flow: 1600 m3/h • Generation: 4th generation dry clean technology & motion sensor.
- Lamp: 1.5w x 2 • Motor power: 180 w
- Noise level: 48dB
- Speed: 3 speed touch with motion sensor technology
- Cabinet hood: SS Black with non-magnetic quality.
- Body dimension: (LxWxH) 600x350x765 mm
- Technology: Auto open & auto close system with SS long baffle
- filter & aluminium long non-breakable oil container.



VENT

• Air Flow: 1700 m3/hr

(G)

- Generation: 5th generation dry clean & motion sensor technology with Voice enabled system.
- Motor Power: 190 w • Lamp: 2w x 1 • Noise Level: 48dB
- Speed: 3 speed touch with Motion sensor technology
- Voice enabled technology: Introducing first time in India Digital modern voice enabled control system. To activate the voice mode just say "Hello chimney" & can use commands like High speed, Low speed, auto clean, chimney off & others.
- Cabinet Hood: Glass Finish • **Dimension:** (LxWxH) 895x450x600 mm
- Technology: T shape model with double SS indent Filter & non breakable aluminium long oil container.





- Generation: 4th generation dry clean technology & Motion senso
- Motor power: 190 w • Speed: 3 speed touch with Motion sensor technology
- **Dimension:** (LXWXH) 900X485X500 mm • Lamp: 1.5w x2
- Cabinet hood: SS with non magnetic quality
- Technology: Attractive designing front panel with mirror finish, 11 degree 2 layers double stainless steel baffle filter with non breakable aluminium long oil container.



BRAIN E

- Air Flow: 1500 m3/h
- Generation: 5th Generation With Dry Clean, Motion Sensor & ISA Technology
- Motor Power: 190 w
 - Lamp: 1.5w x 2
- Noise Level: 48dB
- Speed: 3 speed touch with motion sensor technology.
- Cabinet Hood: SS Black with non Magnetic quality.
- MRP: 32.990/-
- **Dimension:** (LxWxH) 900x490x500 mm
- ISA & Filterless Technology: Our ISA Technology system automatically turn on the Auto Clean mode afetr 30 hours of chimney operation. Our modern chimney incorporates the filterless technology, say no to tedious scrubbing & cleaning of filters frequently.



MRP: 34.390/-

(G)





































www.leadsindia.net

Chimney Collections



OPTIMA 60

- Air Flow: 1450 m3/hr
- Generation: 5th Generation with Dry Clean, Motion Sensor & ISA Technology
- **Motor Power:** 190 w **Lamp:** 2.5w x 1
- Speed: 3 speed touch with motion sensor technology.
- Cabinet Hood: SS Black mat finish

MRP: 32,590/-

• Noise Level: 48dB

- **Dimension**: (LxWxH) 600x385x455 mm
- ISA &Filter less Technology : Our ISA Technology system automatically turn on the Auto Clean mode after 30 hours of chimney operation, Our modern chimney incorporates the two layer filter less Technology for Hassle free cleaning process.



LCX-7

- Air Flow: 1400m3/hr



- Noise Level: 48dB
- Speed: 3 speed touch with motion sensor technology.
- Cabinet Hood: Glass Finish
- Dimension: (LxWxH) 880x395x510 mm
- Technology: T shape model with double SS indent Filter & non breakable aluminium long oil container.

MRP: 31,990/-

(G)



TURBO 75

- Air Flow: 1450 m3/h
- Generation: 5th generation with dry clean, motion sensor & ISA technology.
- Motor Power: 190 w Lamp: 3w x 1 • Noise Level: 48dB
- Speed: 3 speed touch with Motion sensor technology Cabinet Hood: SS Black mat finish
- **Dimension:** (LxWxH) 750x420x450 mm
- ISA & Filterless Technology: Our ISA technology system automatically turn on the auto clean mode after 30 hours of chimney operation. Our modern chimney incorporates the filter less technology for hassle free cleaning process.



GLITZ 75

- Air Flow: 1400m3/h
- Generation: 4th generation dry clean technology & motion sensor
- Motor Power: 190 w Lamp: 1.5w x 2 Noise Level: 48dB
- Speed: 3 speed touch with Motion sensor technology
- Cabinet Hood: SS with non magnetic quality
- **Dimension**: (LxWxH) 760X485X500mm
- Technology: Attractive curve designing front panel with 11 degree
- 2 layers stainless steel conical filter with motion sensor technology.

SHARP

- Air Flow: 1500 m3/h
- Generation: 4th generation dry clean technology & motion sensor
- Motor Power: 190 w
 - Lamp: 1.5w x 2
- Noise Level: 48dB
 Speed: 3 speed touch with motion sensor technology.
- Cabinet Hood: SS black mat finish.
- **Dimension:** (LxWxH) 900x390x500 mm
- Technology: Attractive designing front panel with mirror finish, 11 degree 2 layers double stainless steel baffle filter with SS black coated long oil container.



EXPERT 60

• Air Flow: 1450m3/hr



- Motor Power: 190 w Lamp: 3w x 1 • Noise Level: 48dB
- Speed: 3 speed touch with motion sensor technology
- Cabinet Hood: SS Black mat finish
- **Dimension:** (LxWxH) 600x420x450 mm

• ISA & Filterless Technology: Our ISA technology system automatically turn on the auto clean mode after 30 hours of chimney operation. Our modern chimney incorporates the filter less technology for hassle free cleaning process.

WAVE 75

- Air Flow: 1400m3/hr
- Generation: 4th generation dry clean technology & motion sensor • Noise Level: 48dB
- Motor Power: 180 w • Lamp: 3w x 1
- Cabinet Hood: SS Black • Speed: 3 speed touch with motion sensor technology.
- **Dimension:** (LxWxH) 750x385x475 mm
- Technology: T Shape model with double SS indent filter & non-breakable aluminium long oil container.

(G)

MRP: 29.190/-



FLAME

- Air Flow: 1500 m3/h
- Generation: 4th generation dry clean technology & motion sensor
- Motor Power: 190 w
- Speed: 3 speed touch with Motion sensor technology
- Lamp: 1.5 w x 2 • Noise Level: 48dB
- Cabinet Hood: SS with non-magnetic quality.
- Dimension: (LxWxH) 600X350X580mm
- Technology: "T" shape attractive front panel with 11 degree 2 layers stainless steel baffle filter with non-breakable long aluminium oil container & motion sensor technology.

TEND

- Air Flow: 1400 m3/h
- Generation: 4th Generation with Dry Clean Technology
- Motor Power: 190 w
- Speed: 2 speed Push Button & Easy Operation Facility
- Lamp: 1.5 w x 2 • Noise Level: 48dB
- Cabinet Hood: SS Black mat finish
- **Dimension:** (LxWxH) 900x390x500 mm
- Technology: Push Switch with two layer black SS black baffle filter curve design mirror finish attractive front panel &non-breakable SS black aluminium oil container.















MRP: 28,990/-

d: 2 speed push button & easy operation facility

eration dry clean technology

• Technology: Attractive push switch panel with two layer black SS baffle

• Noise Level: 48dB

Water Purifier Collections

ION

100 GPD Booster pump UV LED 24V Storage capacity : 8 ltrs (Approx) Purification capacity : 12 ltrs/h • RO water purifier with advanced copper

technology, purification by ro followed by UV, UF, Zinc with TDS adjuster. • Leads Advanced Copper technology gives

the goodness of copper water. Copper is known for better digestion, heals wounds faster, beats anemia, slows down aging. Zinc, a nutrient found throughout your body,

helps your immune system and Metabolism function.

MRP: 18.590/-



RIVA

220V AC Power 100 GPD Booster pump UV LED 24V Storage capacity 12 ltrs (Approx)

• Purification by RO, followed by UV, Zinc with Alkaline & advanced copper technology.

: 12 ltrs/h

• Leads zinc boost immune health & copper gives the goodness of copper water. Alkaline water also effectively balances the pH levels of the body.

MRP: 18.390/-

Purification capacity



RIVA X

220V AC Power 100 GPD Booster pump UV LED 24V 12 ltrs (Approx)

: 12 ltrs/h

• Leads zinc boost immune health & copper gives the goodness of copper water.



SMART

- Air Flow: 1200 m3/h
- Generation: 3rd Generation Dry Clean Technology
- Motor Power: 90w x 2
- Dimension: (LxWxH) 760x560x200mm
- Speed: 2 speed Push button
- Lamp: 1.5 w x 2 • Noise Level: 50dB
- Technology: Slim model, double motor, heat clean technology with long and small non-breakable aluminium oil container

MRP: 25,990/-

Water Purifier Collections

CLASSY

• Air Flow: 1400 m3/h

• Cabinet Hood: SS Black mat finish

• Dimension: (LxWxH) 900x485x520mm

filter & non-breakable aluminium oil container.

• Lamp: 1.5 w x 2



VITAPURE

MRP: 27,490/-

Power Booster pump **UV LED**

: 220V AC : 100 GPD

: 24V

: 8 ltrs (Approx) Storage capacity : 12 ltrs/h Purification capacity

 RO water purifier with advance alkaline technology. purification by RO followed by UF, UV with Vitamin B12 filtration technology.

 Ultra filtration cartridge that traps suspended solids, bacteria & other micro-organisms to produce pure water.

 Vitamin b12 filter elevates the PH level of your input water & transforming it into alkaline water, which can help restore balance in your body. Additionally, it reduces the oxidation reduction potential (ORP) making the water antioxidant, helping to neutralize harmful free radicals.

MRP: 21.990/-



DIGIPURE

: 220V AC Power Booster pump : 100 GPD UV LED : 24V : 8 ltrs (Approx) Storage capacity

Purification capacity : 12 ltrs/h

 RO water purifier with advanced copper technology, purification by ro followed by UV, UF and ALKALINE with TDS adjuster.

 Leads Advanced Copper technology gives the goodness of copper water. Copper is known for better digestion, heals wounds faster, beats anemia, slows down aging.

 Alkaline cartridge effectively balances the PH levels of the water.

MRP: 18,990/-



: 220V AC Power : 100 GPD Booster pump UV LED : 24V Storage capacity : 12 ltrs (Approx) : 12ltrs/h Purification capacity

 Purification by Ro followed by UV. Copper, With Ayurveda technology.

• A unique combination of 7 Ayurvedic ingredients as Cumin, Cardamom, Blackpepper, Tulsi leaves, Ginger, Cloves packed into the innovative "Ayurvedic Cartridge" to give you a refreshing taste & Aroma in your water.

MRP: 18,190/-



AQUATIC

: 220V AC Power : 100 GPD Booster pump UV LED : 24V Storage capacity : 11 ltrs (Approx)

Purification capacity : 12 ltrs/h

• RO water purifier with added Minerals, purification by RO followed by UV, UF with TDS adjuster.

• Mineral cartridge is installed after RO membrane to give soothing & sweet taste to the pure drinking water with retain contains added minerals in water as Magnesium & Potassium.

Storage capacity Purification capacity • Purification by RO , followed by UV , Zinc with Alkaline & advanced copper technology.

Alkaline water also effectively balances the

pH levels of the body.

MRP: 18,390/-