

— Since: 2002 ——

· @ 88 88 88 89 0 0

BLEADS

Eon BLDC

Experience the Power of Auto Intelligence in Kitchen Chimney

Water Purifiers | Hob Tops

Collections Chimney



ELITE

- Air Flow: 1920 m3/h
- Generation: 4th generation dry clean technology & motion sensor
- Motor Power: 268 w
- Speed: 4 speed touch with motion sensor technology
- Lamp: 2.5w x 2Noise Level: 48dB
- Cabinet Hood: Glass Finish
- Body Dimension: (LxWxH) 900x350x800 mm
- MRP: 43,990/-
- Technology: Suction on display with room temperature. Teflon coated long baffle filter with non-breakable aluminium long oil container.



BOAT

- Air Flow: 1800 m3/h
- Generation: 4th generation dry clean technology & motion sensor.
- Motor Power: 190 w
- Speed: 3 speed touch with thumb sensor technology Lamp: 3W X 1
- Noise Level: 48dB
 Cabinet Hood: SS Black mat finish
- Body Dimension: (LXWXH)) 900x390x855 mm
- Technology: Attractive switch panel with double blackSS indent filter
 non breakable aluminium oil container.

MRP: 39,990/-



ROBOTIC BLDC

- Air Flow: 1800 m 3 /h
- Generation: 5 th generation dry clean, motion sensor and ISA Technology
- Motor Power: 160 W
- Speed: 9 Speed touch with motion sensor technology
- Lamp: 1.5 W x 2Noise Level: 40dB
- Cabinet Hood: SS black Mat finish
- Body Dimension: (LxWxH) 900x350x800 mm

MRP: 42,490/-

• ISA & BLDC motor with Filter-less technology: Our ISA technology system automatically turn on the auto clean mode after 30 hours of chimney operation. BLDC motor technology offers high efficiency & longer lifetime with 80% energy efficient. Filter-less technology for hassle free cleaning process.



EON BLDC

- Air Flow: 1650 m3/h
- Generation: 5th generation with dry clean, motion sensor & ISA technology.
- Motor Power: 160 w
 Speed: 9 speed touch with motion sensor technology
- Lamp: 1.5w x 2Noise Level: 39dB
- Cabinet Hood: SS black mat finish
- Body Dimension: (LxWxH) 900 X 480 X 420 mm
 MRP: 36,990/-
- ISA & BLDC motor with Filter-less technology: Our ISA technology system automatically turn on the auto clean mode after 30 hours of chimney operation. BLDC motor technology offers high efficiency & longer lifetime with 80% energy efficient. Filter-less technology for hassle free cleaning process.

Noise level: 48dB



ITECH

- Air Flow: 1550 m3/h
- Generation: 5th generation with dry clean, motion sensor & ISA Technology
- Speed: 3 speed touch with motion sensor Motor Power: 190 w technology
- Noise Level: 48dB • Lamp: 1.5W X 2
- MRP: 34,990/-Cabinet Hood: SS mat finish black
- Body Dimension: (LXWXH) 900X485X500 mm
- ISA Technology: Our ISA Technology system automatically turn on the Auto Clean mode after 30 hours of chimney operation. Our modern chimney incorporates 11 degree 2 layers baffle filter technology, say no to tedious scrubbing & cleaning of filters frequently.



VENT

- Air Flow: 1700 m3/hr
- Generation: 5th generation dry clean & motion sensor technology with Voice enabled system.
- Motor Power: 190 w • Lamp: 2w x 1
- Noise Level: 48dB
- Speed: 3 speed touch with Motion sensor technology
- Voice enabled technology: Introducing first time in India Digital modern voice enabled control system. To activate the voice mode just say "Hello chimney" & can use commands like High speed, Low speed, auto clean, chimney off & others.
- Cabinet Hood: Glass Finish
- MRP: 34,290/-• Dimension: (LxWxH) 895x450x600 mm
- Technology: T shape model with double SS indent Filter & non breakable aluminium long oil container.

SWIFT 60

- Air flow: 1600 m3/h
- Generation: 4th generation dry clean technology & motion sensor.
- Motor power: 190 w • Lamp: 1.5w x 2
- Speed: 3 speed touch with motion sensor technology
- Cabinet hood: SS Black with non-magnetic quality.
- MRP: 34,390/-Body dimension: (L×W×H) 600×350×765 mm
- Technology: Auto open & auto close system with SS long baffle filter & aluminium long non-breakable oil container.



- Generation: 4th generation dry clean technology & Motion sensor
- Motor power: 190 w
- Speed: 3 speed touch with Motion sensor technology
- Dimension: (LXWXH) 900X485X500 mm
- Lamp: 1.5w x2 Noise Level: 48dB
- Cabinet hood: SS with non magnetic quality
- Technology: Attractive designing front panel with mirror finish, 11 degree 2 layers double stainless steel baffle filter with non breakable aluminium long oil container.



BRAIN E


- Air Flow: 1500 m3/h
- Generation: 5th Generation With Dry Clean, Motion Sensor & ISA Technology
- Motor Power: 190 w • Lamp: 1.5w x 2 Noise Level: 48dB
- Speed: 3 speed touch with motion sensor technology.
- Cabinet Hood: SS Black with non Magnetic quality.
- Dimension: (LxWxH) 900x490x500 mm

MRP: 32,990/-

 ISA & Filterless Technology: Our ISA Technology system automatically turn on the Auto Clean mode after 30 hours of chimney operation. Our modern chimney incorporates the filterless technology, say no to tedious scrubbing & cleaning of filters frequently.











OPTIMA 60

- Air Flow: 1450 m3/hr
- Generation: 5th Generation with Dry Clean, Motion Sensor & ISA Technology
- Motor Power: 190 w
 Lamp: 2.5w x 1 Noise Level: 48dB
- Speed: 3 speed touch with motion sensor technology.
- Cabinet Hood: SS Black mat finish
- **Dimension:** (LxWxH) 600x385x455 mm
- MRP: 32,590/-ISA &Filter less Technology: Our ISA Technology system automatically

turn on the Auto Clean mode after 30 hours of chimney operation. Our modern chimney incorporates the two layer filter less Technology for Hassle free cleaning process.



VIBE 75

- Air Flow: 1450 m 3 /h
- Generation: 5th generation with dry clean, motion sensor & ISA technology.
- Motor Power: 190 w
- Speed: 3 Speed touch with motion sensor technology
- Noise Level: 48dB • Lamp: 1.5w x 2
- Cabinet Hood: SS black mat finish
- MRP: 30,990/-Body Dimension: (LXWXH) 750 X 420 X 450 mm
- ISA & Filter-less technology: Our ISA technology system automatically turn on the auto clean mode after 30 hours of chimney operation. Our modern chimney incorporates the filter less technology for hassle free cleaning process.



LCX-7

- Air Flow: 1400m3/hr
- Generation: 4th generation dry clean technology & motion sensor
- Motor Power: 190 w • Lamp: 2w x 1
- Noise Level: 48dB
- Speed: 3 speed touch with motion sensor technology.
- Cabinet Hood: Glass Finish
- MRP: 31,990/-
- Dimension: (LxWxH) 880x395x510 mm
- Technology: T shape model with double SS indent Filter & non breakable aluminium long oil container.



ECHO

- Air Flow: 1500 m3 /h
- Generation: 5th generation dry clean and motion sensor technology with voice enabled system.
- Motor Power: 190 w
- Speed: 3 Speed touch with motion sensor technology
- Lamp: 1.5W X 2 • Noise Level: 48dB
- Cabinet Hood: SS black finish
- MRP: 30,790/-Body Dimension: (LXWXH) 900 X 480 X 420 mm
- Voice Enabled Technology: Introducing first time in India digital modern voice enabled control to activate the voice mode just say "Hello Chimney" and can use commands like high speed low speed auto clean, chimney off and others.
- •Technology: Curve style model with two layer filter less technology and non- breakable Aluminium long oil Container.





WAVE 75

- Air flow: 1400 m3/h
- Generation: 4th generation dry clean technology & motion sensor.
- Motor power: 190 w
 - Lamp: 3 w x 1
- Noise level: 48dB
- Speed: 3 speed touch with motion sensor technology
- Cabinet hood: SS Black mat finish MRP: 30,490/-
- Body dimension: (LxWxH) 750x385x475 mm
- Technology: T Shape model with double SS indent filter & non-breakable aluminium long oil container.



• Air Flow: 1500 m3/h

- Generation: 4th generation dry clean technology & motion sensor
- Motor Power: 190 w • Lamp: 1.5w x 2
- Noise Level: 48dB
- Speed: 3 speed touch with motion sensor technology.
- Cabinet Hood: SS black mat finish.
- Dimension: (LxWxH) 900x390x500 mm
- Technology: Attractive designing front panel with mirror finish, 11 degree 2 layers double stainless steel baffle filter with SS black coated long oil container.



EXPERT 60

- Air Flow: 1450m3/hr
- Motor Power: 190 w • Lamp: 3w x 1
- Speed: 3 speed touch with motion sensor technology
- Dimension: (LxWxH) 600x420x450 mm
- Noise Level: 48dB
- Cabinet Hood: SS Black mat finish

MRP: 29,990/-

• ISA & Filterless Technology: Our ISA technology system automatically turn on the auto clean mode after 30 hours of chimney operation. Our modern chimney incorporates the filter less technology for hassle free cleaning process.



FLAME

- Air Flow: 1500 m3/h
- Generation: 4th generation dry clean technology & motion sensor
- Motor Power: 190 w
- Speed: 3 speed touch with Motion sensor technology
- Lamp: 1.5 w x 2
- Noise Level: 48dB

- Cabinet Hood: SS black with non-magnetic quality.
- Dimension: (LxWxH) 600X350X580mm
- MRP: 29.190/-
- Technology: "T" shape attractive front panel with 11 degree 2 layers stainless steel baffle filter with non-breakable long aluminium oil container & motion sensor technology.



TEND

- Air Flow: 1400 m3/h
- Generation: 4th Generation with Dry Clean Technology
- Motor Power: 190 w
- Speed: 2 speed Push Button & Easy Operation Facility
- Lamp: 1.5 w x 2
- Noise Level: 48dB
- Cabinet Hood: SS Black mat finish
- **Dimension**: (LxWxH) 900x390x500 mm
- MRP: 28,990/-
- Technology: Push Switch with 2 layer black SS baffle filter curve design mirror finish attractive front panel &non-breakable SS black aluminium oil container.



Collections Chimney



CLASSY

- Air Flow: 1400 m3/h
- Generation: 4th generation dry clean technology
- Motor Power: 190 w
- Speed: 2 speed push button & easy operation facility
- Lamp: 1.5 w x 2
- Noise Level: 48dB
- Cabinet Hood: SS Black mat finish
- Dimension: (LxWxH) 900x485x520mm

MRP: 27,490/-

 Technology: Attractive push switch panel with two layer black SS baffle filter & non-breakable aluminium oil container.



ZEST

- Air Flow: 1400 m 3 /h
- Generation: 4 th generation dry clean technology with motion sensor.
- Motor Power: 190 w
- Speed: 3 Speed touch with motion sensor technology
- Lamp: 1.5w x 2
 Noise Level: 48dB
- Cabinet Hood: SS black mat finish
- Body Dimension: (LXWXH) 900 X 254 X 336 mm

 MRP: 26,990/-
- Technology: Motion sensor technology with two layer ss filter
 & ss oil container



Collections Water Purifier

VITAPURE

Power : 220V AC Booster pump : 100 GPD UV LED : 24V

Storage capacity : 8 ltrs (Approx)

Purification capacity : 12 ltrs/h

 RO water purifier with advance alkaline technology, purification by RO followed by UF, UV with Vitamin B12 filtration technology.

 Ultra filtration cartridge that traps suspended solids, bacteria & other microorganisms to produce pure water.

 Vitamin b12 filter elevates the PH level of your input water & transforming it into alkaline water, which can help restore balance in your body. Additionally, it reduces the oxidation reduction potential (ORP) making the water antioxidant, helping to neutralize harmful free radicals.

MRP: 21,990/-



DIGITARE Alkallar

DIGIPURE

Power : 220V AC
Booster pump : 100 GPD
UV LED : 24V

Storage capacity : 8 ltrs (Approx)
Purification capacity : 12 ltrs/h

- RO water purifier with advanced copper technology, purification by ro followed by UV, UF and ALKALINE with TDS adjuster.
- Leads Advanced Copper technology gives the goodness of copper water. Copper is known for better digestion, heals wounds faster, beats anemia, slows down aging.
- Alkaline cartridge effectively balances the PH levels of the water.

MRP: 18,990/-

Collections Water Purifier

ION



Power : 220V AC : 100 GPD Booster pump **UV LED** :24V

Storage capacity : 8 ltrs (Approx)

Purification capacity : 12 ltrs/h

 RO water purifier with advanced copper technology, purification by ro followed by UV, UF, Zinc with TDS adjuster.

 Leads Advanced Copper technology gives the goodness of copper water. Copper is known for better digestion, heals wounds faster, beats anemia, slows down aging.

 Zinc, a nutrient found throughout your body, helps your immune system and Metabolism function.

MRP: 18,590/-



RIVA

Power : 220V AC Booster pump : 100 GPD **UV LED** :24V

Storage capacity : 12 Itrs (Approx)

Purification capacity : 12 ltrs/h

· Purification by RO, followed by UV, Zinc with Alkaline & advanced copper technology.

 Leads zinc boost immune health & copper gives the goodness of copper water. Alkaline water also effectively balances the pH levels of the body.

MRP: 18,390/-



RIVA X

: 220V AC Power Booster pump : 100 GPD :24V **UV LED**

Storage capacity : 12 ltrs (Approx)

Purification capacity : 12 ltrs/h

• Purification by RO , followed by UV , Zinc with Alkaline & advanced copper technology.

· Leads zinc boost immune health & copper gives the goodness of copper water. Alkaline water also effectively balances the pH levels of the body.

MRP: 18,390/-

AYUSH HERBAL

Power : 220V AC Booster pump : 100 GPD UV LED : 24V Storage capacity : 12 ltrs (Approx) Purification capacity

: 12ltrs/h

 Purification by Ro followed by UV, Copper, With Ayurveda technology.

 A unique combination of 7 Ayurvedic ingredients as Cumin, Cardamom, Blackpepper, Tulsi leaves, Ginger, Cloves packed into the innovative "Ayurvedic Cartridge" to give you a refreshing taste & Aroma in your water.

MRP: 18,190/-



AQUATIC

: 220V AC Power : 100 GPD Booster pump **UV LED** :24V

Storage capacity : 11 ltrs (Approx)


Purification capacity : 12 ltrs/h

• RO water purifier with added Minerals, purification by RO followed by UV, UF with TDS adjuster.

 Mineral cartridge is installed after RO membrane to give soothing & sweet taste to the pure drinking water with retain contains added minerals in water as Magnesium & Potassium.

MRP: 16,490/-





IND-9X

- Sufficient space to cook
- Glass size 770 x 380x 8mm
- Stainless steel dip tray for easy cleaning
- 360" rotation inlet nozzle No
- Manual ignition with brass valve
- Pressure: 0.5 PSI
- European style valve

- 8mm thick toughened glass with double colour
- Anti skid Rubber legs
- No of burners 3 MRP: 8,990/-
- Fancy metal knobs
- Strong ms powder coated pan support





- Sufficient space to cook
- Glass size 690 x 360x 6mm
- Anti skid Rubber legs
- No of burners 3
- Pressure: 0.5 PSI

- 6mm thick toughened glass
- Stainless steel dip tray for easy cleaning
- 360" rotation inlet nozzle
- Manual ignition with brass valve

MRP: 5,490/-



Leads Overseas Pvt. Ltd.

Toll Free 1800 212 1200

PHead Office & Warehouse

Badu Road, PO- Abdalpur, Near Talli Khola 16 feet, Madhyamgram, Kolkata- 700155, India

Website: www.leadsindia.net Email: Sales@leadsindia.net

Marketed by: