

## REIMAGINE YOUR KITCHEN

WITH LEADSS
SMART APPLIANCES



Kitchen Chimney | Water Purifier | Hob Top | Coock Top | Water Heater

#### Collections Chimney



#### ELITE

- Air Flow: 1920 m3/h
- Generation: 4th generation dry clean technology & motion sensor
- Motor Power: 268 w
- Speed: 4 speed touch with motion sensor technology
- Lamp: 2.5w x 2 Noise Level: 48dB
- Cabinet Hood: Glass Finish
- Body Dimension: (LxWxH) 900x350x800 mm

MRP: 43,990/-

• **Technology:** Suction on display with room temperature. Teflon coated long baffle filter with non-breakable aluminium long oil container.



#### BOAT

- Air Flow: 1800 m3/h
- Generation: 4th generation dry clean technology & thumb sensor.
- Motor Power: 190 w
- Speed: 3 speed touch with thumb sensor technology Lamp: 3W X 1
- Noise Level: 48dB Cabinet Hood: SS Black mat finish
- Body Dimension: (LXWXH) ) 900x390x855 mm
- **Technology:** Attractive switch panel with double black SS indent filter & non breakable aluminium oil container.

MRP: 39,990/-



#### ROBOTIC BLDC

- Air Flow: 1800 m 3 /h
- Generation: 5 th generation dry clean, motion sensor and ISA Technology
- Motor Power: 160 W
- Speed: 9 Speed touch with motion sensor technology
- Lamp: 1.5 W x 2 Noise Level: 40dB
- Cabinet Hood: SS black Mat finish
- Body Dimension: (LxWxH) 900x350x800 mm
- ISA & BLDC motor with Filter-less technology: Our ISA technology system automatically turn on the auto clean mode after 30 hours of chimney operation. BLDC motor technology offers high efficiency & longer lifetime with 80% energy efficient. Filter-less technology for hassle free cleaning process.

MRP: 43,490/-



#### **EON BLDC**

- Air Flow: 1650 m3/h
- **Generation:** 5th generation with dry clean, motion sensor & ISA technology.
- Motor Power: 160 w
   Speed: 9 speed touch with motion sensor technology
- Lamp: 1.5w x 2 Noise Level: 39dB
- Cabinet Hood: SS black mat finish
- Body Dimension: (LxWxH) 900 X 480 X 420 mm MRP: 38,990/-
- ISA & BLDC motor with Filter-less technology: Our ISA technology system automatically turn on the auto clean mode after 30 hours of chimney operation. BLDC motor technology offers high efficiency & longer lifetime with 80% energy efficient. Filter-less technology for hassle free cleaning process.

## ollections Chimney



#### GLIDE

- Air flow: 1500 m3 /h
- Generation: 5th generation dry clean and motion sensor technology
- Motor power: 150 W X 2
- Lamp: 1.5w x 1
- Noise level: 49dB
- Speed: 3 Speed touch with motion sensor technology
- Cabinet hood: SS Black with non-magnetic quality.
- Body dimension: (LXWXH) 750 X 510 X130 mm
- MRP: 35,990/-
- Technology: Slim line Kitchen Chimney with touch panel & auto clean Facility.



#### SWIFT 60

- Air flow: 1600 m3/h
- Generation: 4th generation dry clean technology & motion sensor.
- Motor power: 190 w
- Lamp: 1.5w x 2
- Noise level: 48dB
- Speed: 3 speed touch with motion sensor technology
- Cabinet hood: SS Black with non-magnetic quality.
- Body dimension: (L×W×H) 600×350×765 mm
- MRP: 34.390/-
- Technology: Auto open & auto close system with SS long baffle filter & aluminium long non-breakable oil container.



• Airflow: 1600 m3/h

CORE

- Generation: 4th generation dry clean technology & Motion sensor
- Motor power: 190 w
- Speed: 3 speed touch with Motion sensor technology
- Dimension: (LXWXH) 900X485X500 mm
- Lamp: 1.5w x2 • Noise Level: 48dB
- Cabinet hood: SS with non magnetic quality
- MRP: 33,390/-
- Technology: Attractive designing front panel with mirror finish, 11 degree 2 layers double stainless steel baffle filter with non breakable aluminium long oil container.



#### **iTECH**

- Air Flow: 1550 m3/h
- Generation: 5th generation with dry clean, motion sensor & ISA Technology
- ●Motor Power: 190 w • Speed: 3 speed touch with motion sensor technology
- •Lamp: 1.5W X 2 Noise Level: 48dB
- Cabinet Hood: SS mat finish black
- Body Dimension: (LXWXH) 900X485X500 mm
- ●ISA Technology: Our ISA Technology system automatically turn on the Auto Clean mode after 30 hours of chimney operation. Our modern chimney incorporates 11 degree 2 layers baffle filter technology, say no to tedious scrubbing & cleaning of filters frequently.



#### **VENT**

- Air Flow: 1700 m3/hr
- Generation: 5th generation dry clean & motion sensor technology with Voice enabled system.
- Motor Power: 190 w
- Lamp: 2w x 1
- Noise Level: 48dB
- Speed: 3 speed touch with Motion sensor technology
- Voice enabled technology: Introducing first time in India Digital modern voice enabled control system. To activate the voice mode just say "Hello chimney" & can use commands like High speed, Low speed, auto clean, chimney off & others.
- Cabinet Hood: Glass Finish
- MRP: 34,290/-

MRP: 34,990/-

- **Dimension:** (LxWxH) 895x450x600 mm
- Technology: T shape model with double SS indent Filter & non breakable aluminium long oil container.

# Chimney Chimney BRAIN E Air Flow: 1500 m3/h

• Generation: 5th Generation With Dry Clean, Motion Sensor & ISA Technology

- Motor Power: 190 w
   Lamp: 1.5w x 2
   Noise Level: 48dB
- **Speed:** 3 speed touch with motion sensor technology.
- Cabinet Hood: SS Black with non Magnetic quality.
- Dimension: (LxWxH) 900x490x500 mm

• ISA & Filterless Technology: Our ISA Technology system automatically turn on the Auto Clean mode after 30 hours of chimney operation. Our modern chimney incorporates the filterless technology, say no to tedious scrubbing & cleaning of filters frequently.




#### **VIBE 75**


- Air Flow: 1450 m 3 /h
- Generation: 5th generation with dry clean, motion sensor & ISA technology.
- Motor Power: 190 w
- Speed: 3 Speed touch with motion sensor technology
- Lamp: 1.5w x 2 Noise Level: 48dB
- Cabinet Hood: SS black mat finish
- Body Dimension: (LXWXH) 750 X 420 X 450 mm
- ISA & Filter-less technology: Our ISA technology system automatically turn on the auto clean mode after 30 hours of chimney operation. Our modern chimney incorporates the filter less technology for hassle free cleaning process.



#### LCX-7

MRP: 32,990/-






- Motor Power: 190 wLamp: 2w x 1
- Noise Level: 48dB
- Speed: 3 speed touch with motion sensor technology.
- Cabinet Hood: Glass Finish MRP: 31,990/-
- Dimension: (LxWxH) 880x395x510 mm
- **Technology:** T shape model with double SS indent Filter & non breakable aluminium long oil container.







• **Generation**: 5th generation dry clean and motion sensor technology with voice enabled system.

- Motor Power: 190 w
- Speed: 3 Speed touch with motion sensor technology
- Lamp: 1.5W X 2
   Noise Level: 48dB
- Cabinet Hood: SS black finish
- Body Dimension: (LXWXH) 900 X 480 X 420 mm

  MRP: 30,790/-
- Voice Enabled Technology: Introducing first time in India digital modern voice enabled control to activate the voice mode just say "Hello Chimney" and can use commands like high speed low speed auto clean, chimney off and others.
- •Technology: Curve style model with two layer filter less technology and non- breakable Aluminium long oil Container.

#### Collections Chimney



#### WAVE 75

- Air flow: 1400 m3/h
- Generation: 4th generation dry clean technology & motion sensor.
- Motor power: 190 wLamp: 3 w x 1
- Noise level: 48dB
- Speed: 3 speed touch with motion sensor technology
- Cabinet hood: SS Black mat finish
- Body dimension: (L×W×H) 750x385x475 mm
- Technology: T Shape model with double SS indent filter & non-breakable aluminium long oil container.



- Air Flow: 1500 m3/h
- Generation: 4th generation dry clean technology & motion sensor
- Motor Power: 190 w
   Lamp: 1.5w x 2
- Noise Level: 48dB

MRP: 30,490/-

- Speed: 3 speed touch with motion sensor technology.
- Cabinet Hood: SS black mat finish.
- Dimension: (LxWxH) 900x390x500 mm
- Technology: Attractive designing front panel with mirror finish, 11 degree 2 layers double stainless steel baffle filter with SS black coated long oil container.

MRP: 29,990/-




#### **EXPERT 60**

- Air Flow: 1450m3/hr
- Generation: 5th generation with dry clean, motion sensor & ISA technology.
- Motor Power: 190 w
   Lamp: 3w x 1
   Noise Level: 48dB
- Speed: 3 speed touch with motion sensor technology
- Cabinet Hood: SS Black mat finish
- Dimension: (LxWxH) 600x420x450 mm
- MRP: 29,690/-
- ISA & Filterless Technology: Our ISA technology system automatically turn on the auto clean mode after 30 hours of chimney operation. Our modern chimney incorporates the filter less technology for hassle free cleaning process.



#### FLAME

- Air Flow: 1500 m3/h
- Generation: 4th generation dry clean technology & motion sensor
- Motor Power: 190 w
- Speed: 3 speed touch with Motion sensor technology
- Lamp: 1.5 w x 2
- Noise Level: 48dB
- Cabinet Hood: SS black with non-magnetic quality.
  - monsion (LVM/VL) 600VZE0VE00mm MRP: 29,190/-
- Dimension: (LxWxH) 600X350X580mm
- **Technology:** "T" shape attractive front panel with 11 degree 2 layers stainless steel baffle filter with non-breakable long aluminium oil container & motion sensor technology.



#### CLASSY

- Air Flow: 1400 m3/h
- Generation: 4th generation dry clean technology
- Motor Power: 190 w
- Speed: 2 speed push button & easy operation facility
- Lamp: 1.5 w x 2 Noise Level: 48dB
- Cabinet Hood: SS Black mat finish
- Dimension: (LxWxH) 900x485x520mm MRP: 27,490/-
- **Technology:** Attractive push switch panel with two layer black SS baffle filter & non-breakable aluminium oil container.



#### ZEST

- Air Flow: 1400 m 3 /h
- Generation: 4 th generation dry clean technology with motion sensor.
- Motor Power: 190 w
- Speed: 3 Speed touch with motion sensor technology
- Lamp: 1.5w x 2 Noise Level: 48dB
- Cabinet Hood: SS black mat finish
- Body Dimension: (LXWXH) 900 × 420 × 440 mm MRP: 26,990/-
- Technology: Motion sensor technology with two layer ss filter & ss oil container



#### VITAPURE

Power : 220V AC Booster pump : 100 GPD UV LED : 24V

Storage capacity : 8 ltrs (Approx)

Purification capacity : 12 ltrs/h

- RO water purifier with advance alkaline technology, purification by RO followed by UF, UV with Vitamin B12 filtration technology.
- Ultra filtration cartridge that traps suspended solids, bacteria & other microorganisms to produce pure water.
- Vitamin b12 filter elevates the PH level of your input water & transforming it into alkaline water, which can help restore balance in your body. Additionally, it reduces the oxidation reduction potential (ORP) making the water antioxidant, helping to neutralize harmful free radicals.

MRP: 21,990/-



#### DIGIPURE

Power : 220V AC Booster pump : 100 GPD UV LED : 24V

Storage capacity : 8 ltrs (Approx)

CD.

Purification capacity : 12 ltrs/h

- RO water purifier with advanced copper technology, purification by ro followed by UV, UF and ALKALINE with TDS adjuster.
- Leads Advanced Copper technology gives the goodness of copper water. Copper is known for better digestion, heals wounds faster, beats anemia, slows down aging.
- Alkaline cartridge effectively balances the PH levels of the water.

MRP: 18,990/-

## Collections Water Purifier

#### ION



Power : 220V AC
Booster pump : 100 GPD
UV LED : 24V

Storage capacity : 8 Itrs (Approx)

Purification capacity : 12 ltrs/h

• RO water purifier with advanced copper technology, purification by ro followed by UV, UF, Zinc with TDS adjuster.

• Leads Advanced Copper technology gives the goodness of copper water. Copper is known for better digestion, heals wounds faster, beats anemia, slows down aging.

• Zinc, a nutrient found throughout your body, helps your immune system and Metabolism function.

MRP: 18,590/-



#### **RIVA**

Power : 220V AC
Booster pump : 100 GPD
UV LED : 24V

Storage capacity : 12 Itrs (Approx)

Purification capacity : 12 ltrs/h

• Purification by RO , followed by UV , Zinc with Alkaline & advanced copper technology.

• Leads zinc boost immune health & copper gives the goodness of copper water. Alkaline water also effectively balances the pH levels of the body.

MRP: 18,390/-



#### RIVA X

Power : 220V AC
Booster pump : 100 GPD
UV LED : 24V
Storage capacity : 12 Itrs (Approx)

Purification capacity : 12 ltrs/h

• Purification by RO, followed by UV, Zinc with Alkaline & advanced copper technology.

• Leads zinc boost immune health & copper gives the goodness of copper water. Alkaline water also effectively balances the pH levels of the body.

AYUSH HERBAL

Power : 220V AC
Booster pump : 100 GPD
UV LED : 24V

Storage capacity : 12 Itrs (Approx)

Purification capacity : 12ltrs/h

 Purification by Ro followed by UV, Copper, With Ayurveda technology.

• A unique combination of 7 Ayurvedic ingredients as Cumin, Cardamom, Blackpepper, Tulsi leaves, Ginger, Cloves packed into the innovative "Ayurvedic Cartridge" to give you a refreshing taste & Aroma in your water.

MRP: 18,190/-



#### AQUATIC

Power : 220V AC Booster pump : 100 GPD UV LED : 24V

Storage capacity : 11 ltrs (Approx)
Purification capacity : 12 ltrs/h

• RO water purifier with added Minerals, purification by RO followed by UV, UF with TDS adjuster.

• Mineral cartridge is installed after RO membrane to give soothing & sweet taste to the pure drinking water with retain contains added minerals in water as Magnesium & Potassium.

MRP: 16,490/-

MRP: 18,390/-

### Water Heater



#### **EcoWave**

- 15L Tank | 2000W Power
- 8.5 Bar Pressure (High-rise)
- Ceramic Glass Lined Tank
- Copper Heating Element
- · ABS Body | PUF Insulation
- Safety: Thermal Cut-Out, Thermostat
- 7 Yrs Tank Warranty | 2 Yrs Product

MRP: 14,490/-



#### **AquaBlitz**

- 5L Tank | 3000W Power
- Premium Stainless Steel Tank
- Molded PUF Insulation
- High-Precision Thermostat
- Rust & Shock-Proof Body
- Safety: Multi-Layer Protection
- 2 Yrs Comprehensive Warranty

MRP: 7,490/-



Interiory Cooktop

#### WarmNest

- 10L Tank | 2000W Power
- 8.5 Bar Pressure
- Ceramic Glass Lined Tank
- Copper Heating Element
- ABS Body | PUF Insulation
- · Safety: Thermal Cut-Out, Thermostat
- 7 Yrs Tank Warranty | 2 Yrs Product

MRP: 12.990/-



#### IND-9X

MRP: 8,990/-

- Sufficient space to cook
- 8mm thick toughened glass with double colour
- Glass size 770 x 380x 8mm
- Anti skid Rubber legs
- Stainless steel dip tray for easy cleaning
- 360" rotation inlet nozzle
- No. of burners 3
   Pressure: 0.5 PSI
- Manual ignition with brass valve
- Fancy metal knobs
   European style valve
- Strong ms powder coated pan support



- Sufficient space to cook
- Glass size 690x360x6mm
- Anti skid rubber legs
- 6mm thick toughened glass



MRP: 6,490/-

- 360 degree rotation inlet nozzle
- No of burners 2 Pressure 0.5 PSI Manual ignition with brass valve
  - Strong MS powder coated pan support
- Stainless steel dip tray for easy cleaning Hob tops type stylish durable knob



- Sufficient space to cook
- 6mm thick toughened glass
- Glass size 690 x 360x 6mm
- Stainless steel dip tray for easy cleaning Pressure: 0.5 PSI

IND-9

MRP: 5,490/-

- Anti skid Rubber legs
- 360" rotation inlet nozzle
- No of burners 3
- Manual ignition with brass valve



Marketed by:

	)

**Head Office & Warehouse** 

Badu Road, PO- Abdalpur, Near Talli Khola 16 feet, Madhyamgram, Kolkata-700155, India

Website: www.leadsindia.net | Email: Sales@leadsindia.net

**Toll Free** 1800 212 1200