

# Cooktop Collections



## IND-9X

- Sufficient space to cook
- Glass size - 770 x 380x 8mm
- Stainless steel dip tray for easy cleaning
- 360° rotation inlet nozzle
- Manual ignition with brass valve
- Pressure: - 0.5 PSI
- European style valve
- 8mm thick toughened glass with double colour
- Anti skid Rubber legs
- No of burners - 3
- Fancy metal knobs
- Strong ms powder coated pan support

MRP: 8790/-



## IND-9

- Sufficient space to cook
- Glass size - 690 x 360x 6mm
- Anti skid Rubber legs
- No of burners - 3
- Pressure: - 0.5 PSI
- 6mm thick toughened glass
- Stainless steel dip tray for easy cleaning
- 360° rotation inlet nozzle
- Manual ignition with brass valve

MRP: 5,300/-



Leads Overseas Pvt. Ltd.

**Toll Free**  
**1800 212 1200**

### Head Office & Warehouse

Badu Road, PO- Abdalpur, Near Talli Khola 16 feet, Madhyamgram, Kolkata- 700155, India

Website : [www.leadsindia.net](http://www.leadsindia.net)

Email : [leadsindia.net@gmail.com](mailto:leadsindia.net@gmail.com) / [info@leadsindia.net](mailto:info@leadsindia.net)

Marketed by:



# Experience

New Leads Kitchen Chimnies with



**AUTO INTELIGENT  
CLEANING  
TECHNOLOGY**





# Chimney Collections



## ELITE

- **Air Flow:** 1920 m<sup>3</sup>/h
- **Generation:** 4th generation dry clean technology & motion sensor
- **Motor Power:** 268w
- **Speed:** 4 speed touch with motion sensor technology
- **Lamp:** 2.5w x 2 • **Noise Level:** 48dB
- **Cabinet Hood:** Glass Finish
- **Body Dimension:** (LxWxH) 900x800x350mm
- **Technology:** Suction on display with room temperature. Teflon coated long baffle filter with non-breakable aluminium long oil container.


MRP: 42,690/-



## STATUS PLUS

- **Air Flow:** 1860m<sup>3</sup>/h
- **Generation:** 4th generation dry clean technology & motion sensor.
- **Motor Power:** 180w x2
- **Speed:** 2 speed touch with separate switch motor option & motion sensor technology.
- **Lamp:** 4w x 1 • **Noise Level:** 49dB
- **Body Dimension:** (LxWxH) 900x812x390mm
- **Cabinet Hood:** SS with non-magnetic quality.
- **Technology:** Auto open & auto close system. Suction on display with room temperature and have long non breakable aluminium oil container.

MRP: 41,490/-



## BOAT

- **Air Flow:** 1800 m<sup>3</sup>/h
- **Generation:** 4th generation dry clean technology & motion sensor.
- **Motor Power:** 190w
- **Speed:** 3 speed touch with thumb sensor technology
- **Lamp:** 3W X 1 • **Noise Level:** 48dB
- **Cabinet Hood:** SS Black mat finish
- **Body Dimension:** (LXWXH) 900x390x855 mm
- **Technology:** Attractive switch panel with double black SS indent filter & non breakable aluminium oil container.

MRP: 39,990/-



## INVENT BLDC

- **Air Flow:** 1650 m<sup>3</sup>/h
- **Generation:** 4th generation dry clean technology & motion sensor.
- **Motor Power:** 180w
- **Speed:** 9 speed touch with motion sensor technology
- **Lamp:** 3W X 1 • **Noise Level:** 37dB
- **Cabinet Hood:** SS Black mat finish
- **Body Dimension:** (LXWXH) 900x430x450 mm
- **Technology:** BLDC motor technology offers high efficiency & longer lifetime with 80% energy efficient. Filter less technology for hassle free cleaning process

MRP: 36,990/-



## ITECH

- **Air Flow:** 1550 m<sup>3</sup>/h
- **Generation:** 5th generation with dry clean, motion sensor & ISA Technology
- **Motor Power:** 190w
- **Speed:** 3 speed touch with motion sensor technology
- **Lamp:** 1.5W X 2 • **Noise Level:** 48dB • **Cabinet Hood:** SS mat finish black
- **Body Dimension:** (LXWXH) 900X485X500mm
- **ISA Technology:** Our ISA Technology system automatically turn on the Auto Clean mode after 30 hours of chimney operation. Our modern chimney incorporates 11 degree 2 layers baffle filter technology, say no to tedious scrubbing & cleaning of filters frequently.

MRP: 34,990/-



## SWIFT 60

- **Air flow :-** 1600 m<sup>3</sup>/h
- **Generation -** 4 th generation dry clean technology & motion sensor.
- **Motor power -** 180w • **Lamp -** 1.5w x 2 • **Noise level-** 48dB
- **Speed -** 3 speed touch with motion sensor technology
- **Cabinet hood -** SS Black with non-magnetic quality.
- **Body dimension -** LxwxH(600x350x765mm)
- **Technology:** Auto open & auto close system with ss long baffle filter & aluminium long non-breakable oil container.

MRP: 34,390/-



## VENT

- **Air Flow:** 1700 m<sup>3</sup>/hr
- **Generation:** 5th generation dry clean & motion sensor technology with Voice enabled system
- **Motor Power:** 190 w • **Lamp:** 2w x 1 • **Noise Level:** 48dB
- **Speed:** 3 speed touch with Motion sensor technology
- **Voice enabled technology:** To activate the voice mode just say "Hello chimney" & can use commands like High speed, Low speed, auto clean, chimney off & others.
- **Cabinet Hood:** Glass Finish • **Dimension:** ( LxWxH) 880x395x510 mm
- **Technology:** T shape model with double SS indent Filter & non breakable aluminium long oil container.

MRP: 33,790/-





# Chimney Collections



## CORE

- **Airflow:** 1600 M3/h
- **Generation:** 4th generation dry clean technology & Motion sensor
- **Motor power:** 190w
- **Speed:** 3 speed touch with Motion sensor technology
- **Dimension:** Body dimension: (LxWxH) 900X485X500mm
- **Lamp:** 1.5w x2 • **Noise Level:** 48dB
- **Cabinet hood:** Ss with non magnetic quality
- **Technology:** Attractive designing front panel with mirror finish, 11 degree 2 layers double stainless steel baffle filter with non breakable aluminium long oil container.



MRP: 33,390/-



## BRAIN E

- **Air Flow:** 1500 m3/h
- **Generation:** 5th Generation With Dry Clean, Motion Sensor & ISA Technology
- **Motor Power:** 190w • **Lamp:** 1.5w x 2 • **Noise Level:** 48dB
- **Speed:** 3 speed touch with motion sensor technology.
- **Cabinet Hood:** SS Black with non Magnetic quality.
- **Dimension:** (LxWxH) 900x490x500mm
- **ISA & Filterless Technology:** Our ISA Technology system automatically turn on the Auto Clean mode after 30 hours of chimney operation. Our modern chimney incorporates the filterless technology, say no to tedious scrubbing & cleaning of filters frequently.



MRP: 32,990/-



## DIVINE

- **Air Flow:** 1550 m3/h
- **Generation:** 4th generation dry clean technology & motion sensor
- **Motor Power:** 190 w • **Lamp:** 1.5w x 2 • **Noise Level:** 48dB
- **Speed:** 3 speed touch with Motion sensor technology
- **Cabinet Hood:** SS with non magnetic quality.
- **Dimension:** (LxWxH) 900x450x460mm
- **Technology:** Attractive slim designing front panel, 2 layers double stainless steel conical filter and SS oil cup.



MRP: 32,890/-



## TURBO 75

- **Air Flow:** 1450 m3/h
- **Generation:** 5th generation with dry clean, motion sensor & ISA technology.
- **Motor Power:** 190 w • **Lamp:** 3w x 1 • **Noise Level:** 48dB
- **Speed:** 3 speed touch with Motion sensor technology
- **Cabinet Hood:** SS Black mat finish
- **Dimension:** (LxWxH) 750x420x450mm
- **ISA & Filterless Technology:** Our ISA technology system automatically turn on the auto clean mode after 30 hours of chimney operation. Our modern chimney incorporates the filter less technology for hassle free cleaning process.



MRP: 30,990/-



## GLITZ 75

- **Air Flow:** 1400m3/h
- **Generation:** 4th generation dry clean technology & motion sensor
- **Motor Power:** 190 w • **Lamp:** 1.5w x 2 • **Noise Level:** 48dB
- **Speed:** 3 speed touch with Motion sensor technology
- **Cabinet Hood:** SS with non magnetic quality
- **Dimension:** (LxWxH) 760X485X500mm
- **Technology:** Attractive curve designing front panel with 11 degree 2 layers stainless steel conical filter with motion sensor technology.



MRP: 30,590/-



## SHARP

- **Air Flow:** 1500 m3/h
- **Generation:** 4th generation dry clean technology & motion sensor
- **Motor Power:** 190w • **Lamp:** 1.5w x 2
- **Noise Level:** 48dB
- **Speed:** 3 speed touch with motion sensor technology.
- **Cabinet Hood:** SS black mat finish.
- **Dimension:** (LxWxH) 900x812x390 mm
- **Technology:** Attractive designing front panel with mirror finish, 11 degree 2 layers double stainless steel baffle filter with SS black coated long oil container.



MRP: 29,990/-



## EXPERT 60

- **Air Flow:** 1450m3/hr
- **Generation:** 5th generation with dry clean, motion sensor & ISA technology.
- **Motor Power:** 190w • **Lamp:** 3w x 1 • **Noise Level:** 48dB
- **Speed:** 3 speed touch with motion sensor technology
- **Cabinet Hood:** SS Black mat finish
- **Dimension:** (LxWxH) 600x420x450 mm
- **ISA & Filterless Technology:** Our ISA technology system automatically turn on the auto clean mode after 30 hours of chimney operation. Our modern chimney incorporates the filter less technology for hassle free cleaning process.



MRP: 29,690/-



## LCX-7

- **Air Flow:** 1400m3/hr
- **Generation:** 4th generation dry clean technology & motion sensor
- **Motor Power:** 190w • **Lamp:** 2w x 1
- **Noise Level:** 48dB
- **Speed:** 3 speed touch with motion sensor technology.
- **Cabinet Hood:** Glass Finish
- **Dimension:** (LxWxH) 880x395x510 mm
- **Technology:** T shape model with double SS indent Filter & non breakable aluminium long oil container.



MRP: 29,290/-



# Chimney Collections



## WAVE 75

- Air Flow: 1400m<sup>3</sup>/hr
- Generation: 4th generation dry clean technology & motion sensor
- Motor Power: 180w
- Noise Level: 48dB
- Speed: 3 speed touch with motion sensor technology.
- Cabinet Hood: SS Black
- Dimension: (LxWxH) 750x385x475 mm
- Technology: T Shape model with double ss indent filter & non-breakable aluminium long oil container.



MRP: 29,190/-



## FLAME

- Air Flow: 1500 m<sup>3</sup>/h
- Generation: 4th generation dry clean technology & motion sensor
- Motor Power: 190 w
- Noise Level: 48dB
- Speed: 3 speed touch with Motion sensor technology
- Cabinet Hood: SS with non-magnetic quality.
- Dimension: (LxWxH) 600X350X580mm
- Technology: "T" shape attractive front panel with 11 degree 2 layers stainless steel baffle filter with non-breakable long aluminium oil container & motion sensor technology.



MRP: 29,190/-



## CLASSY

- Air Flow: 1400 m<sup>3</sup>/h
- Generation: 4th generation dry clean technology
- Motor Power: 190 w
- Noise Level: 48dB
- Speed: 3 speed push button & easy operation facility
- Cabinet Hood: SS Black
- Dimension: (LxWxH) 900x485x520mm
- Technology: Attractive push switch panel with two layer black SS baffle filter & non-breakable aluminium oil container.



MRP: 27,490/-



## SMART

- Air Flow: 1200 m<sup>3</sup>/h
- Generation: 3rd Generation Dry Clean Technology
- Motor Power: 90w x 2
- Noise Level: 50dB
- Speed: 2 speed Push button
- Cabinet Hood: SS Black
- Dimension: (LxWxH) 760x560x200mm
- Technology: Slim model, double motor, heat clean technology with long and small non-breakable aluminium oil container



MRP: 24,990/-

# Water Purifier Collections



## VITAPURE

- Power : 220V AC
- Booster pump : 100 GPD
- UV LED : 24V
- Storage capacity : 11 ltrs (Approx)
- Purification capacity : 12 ltrs/h
- RO water purifier with advance alkaline technology, purification by RO followed by UF, UV with Vitamin B12 filtration technology.
- Ultra filtration cartridge that traps suspended solids, bacteria & other microorganisms to produce pure water.
- Vitamin b12 filter elevates the PH level of your input water & transforming it into alkaline water, which can help restore balance in your body. Additionally, it reduces the oxidation reduction potential (ORP) making the water antioxidant, helping to neutralize harmful free radicals.

MRP: 21,990/-



## DIGIPURE

- Power : 220V AC
- Booster pump : 100 GPD
- UV LED : 24V
- Storage capacity : 8 ltrs (Approx)
- Purification capacity : 12 ltrs/h
- RO water purifier with advanced copper technology, purification by ro followed by UV, UF and ALKALINE with TDS adjuster.
- Leads Advanced Copper technology gives the goodness of copper water. Copper is known for better digestion, heals wounds faster, beats anemia, slows down aging.
- Alkaline cartridge effectively balances the PH levels of the water.

MRP: 18,990/-



## ION

- Power : 220V AC
- Booster pump : 100 GPD
- UV LED : 24V
- Storage capacity : 8 ltrs (Approx)
- Purification capacity : 12 ltrs/h
- RO water purifier with advanced copper technology, purification by ro followed by UV, UF, Zinc with TDS adjuster.
- Leads Advanced Copper technology gives the goodness of copper water. Copper is known for better digestion, heals wounds faster, beats anemia, slows down aging.
- Zinc, a nutrient found throughout your body, helps your immune system and Metabolism function.

MRP: 18,590/-



## AYUSH HERBAL

- Power : 220V AC
- Booster pump : 100 GPD
- UV LED : 24V
- Storage capacity : 12 ltrs (Approx)
- Purification capacity : 12ltrs/h
- Purification by Ro followed by UV UF,Copper, With Ayurveda technology.
- A unique combination of 7 Ayurvedic ingredients as Cumin, Cardamom, Blackpepper, Tulsi leaves, Ginger, Cloves packed into the innovative "Ayurvedic Cartridge" to give you a refreshing taste & Aroma in your water.

MRP: 18,190/-



## NOBLE

- Power : 220V AC
- Booster pump : 100 GPD
- UV LED : 24V
- Storage capacity : 11 ltrs (Approx)
- Purification capacity : 12 ltrs/h
- RO water purifier with alkaline technology, purification by RO followed by UV, UF with TDS adjuster.
- Alkaline cartridge effectively balances the PH levels of the water.
- Ultrafiltration cartridge that traps suspended solids, bacteria & other Microorganisms to produce pure water.

MRP: 16,990/-



## AQUATIC

- Power : 220V AC
- Booster pump : 100 GPD
- UV LED : 24V
- Storage capacity : 11 ltrs (Approx)
- Purification capacity : 12 ltrs/h
- RO water purifier with added Minerals, purification by RO followed by UV, UF with TDS adjuster.
- Mineral cartridge is installed after RO membrane to give soothing & sweet taste to the pure drinking water with retain contains added minerals in water as Magnesium & Potassium.

MRP: 16,490/-